Ref: 45004

Serie Verdi

IP40-IP55 Surface boxes and mechanisms

IP55 Mechanism box 4 modules



Features

Application:	Domestic
Suitable for outdoor installation:	No
Type of installation:	Surface
Material Quality:	ABS

Modular capacity

Capacity/Number of modules:	4

Technical data

Protection degree:	IP55
Resistance to impact:	IK07
Glow wire resistance (ºC):	650
Ball pressure test (°C):	70
Double insulation:	Class II

Dimensions

Piece dimensions - HxWxD (mm):	85 x 142 x 63

Additional features

Door/window/lid type:	Transparent
Reversible door:	No
UV protection:	No
Number of doors:	1
Sealable:	No

Ref: 45004

Linkable:	No
Neutral and earth bars:	No
Includes DIN Rail:	No
Plate:	No
Adjustable Plate:	No
Perforated Plate:	No

Materials

Halogen-free materials:	Yes
Color:	Grey RAL 7035

Ref: 45004

Certificates and regulations

Directive:	2014/35/EU
Standards:	UNE-EN 60670-1-22

Packaging

Supply:	Enclosures: Supplied individually shrink-wrapped and in multiple cardboard packaging according to minimum packaging units Devices: Supplied individually
Individual Packaging Type:	Wrap
UoM Packaging - Individual:	Unit
Minimum Selling Quantity:	20
Individual packaging dimensions - HxWxD (m):	0.085 x 0.142 x 0.063
Net weight per unit (kg):	0.161
Gross weight per unit (kg):	0.177

Codes

GTIN-13 code:	8431044450049
Tariff code:	85369001
ETIM code 9.0:	EC000712

Downloads (links)

Assembly instructions:	https://assemblysteps.org/qr/