Ref: 55AUX240PT/300

Serie Atlantic Plus + Auxiliary Module

IP55 Compact cabinets + auxiliary module // (192-288 modules)

Distribution cabinet + auxiliary module IP55. PT 192-240 mod. depth 300



Features

Application:	Tertiary (large facilities)
Suitable for outdoor installation:	No
Type of installation:	Surface
Piece dimensions - HxWxD (mm):	1810 x 1130 x 300
Capacity/Number of modules:	192-240
Material Quality:	Cold-rolled steel

Technical data

Protection degree:	IP55
Resistance to impact:	IK09

Dimensions

Piece dimensions - HxWxD (mm):	1810 x 1130 x 300
Usable interior space - HxWxD (mm):	1600 x 0 x 0

Ref: 55AUX240PT/300

Additional features

Capacity/Number of modules:	192-240
Door/window/lid type:	Double Transparent
Reversible door:	Yes
Number of doors:	2
Body type:	Compact
Plate:	No
Adjustable Plate:	No
Perforated Plate:	No

Materials

Door/Lid/Window Material:	Tempered glass
Gasket material:	Polyurethane
Color:	White RAL 9003
Finish:	Painted with embossed polyester paint
Body thickness (mm):	1.2
Door thickness (mm):	4
Top/bottom panel thickness (mm):	1.2
Side thickness (mm):	1.2

Ref: 55AUX240PT/300

Maximum loads

Maximum total load (kg):	70

Electrical properties

Maximum voltage (V):	1000 AC / 1500 DC
Rated current (A):	Up to 630 (depending on type of accessory)
Power dissipation:	

Power dissipation P(W) as a function of temperature increase ΔT (°C)				
20	25	30	35	40
474.7	593.4	712.0	830.7	949.4

Data calculated according to IEC TR 60890 using the method for verifying temperature rise in low-voltage switchgear and controlgear assemblies.

Packaging

Supply:	They are supplied assembled in a single packaging that contains: Cabinet Door Frame Plinth Accessory bag: Lifting and mounting pack, covers, cable-gland, screws and key
Individual Packaging Type:	Pallet
UoM Packaging - Individual:	Unit
Minimum Selling Quantity:	1
Individual packaging dimensions - HxWxD (m):	1.928 x 1.2 x 0.8
Net weight per unit (kg):	111.388
Gross weight per unit (kg):	122.527

Codes

GTIN-13 code:	8431044530123
Tariff code:	85381000
ETIM code 9.0:	EC000058

Downloads (links)

Product drawing DXF (URL):	https://ideelectric.com/docs/plans/dxf/55AUX240PT300.dxf
Product drawing (PDF):	https://ideelectric.com/docs/plans/pdf/55AUX240PT300.pdf
Assembly instructions:	https://assemblysteps.org/qr/91209