Ref: ENLBP18010060PT/SP

Serie Argenta Plus Rack 19"

19"-Rack cabinets

ENL cabinet with swing frame 1800x1000x600. Transparent door without plate



Features

Application:	Major engineering projects
Suitable for outdoor installation:	No
Type of installation:	Floor-standing
Piece dimensions - HxWxD (mm):	1800 x 1000 x 600
Material Quality:	Cold-rolled steel

Technical data

Protection degree:	IP55
NEMA degree of protection:	1, 12
Resistance to impact:	IK09

Dimensions

Piece dimensions - HxWxD (mm):	1800 x 1000 x 600
Cable entry - WxD (mm):	770 x 510
Glass door visible area - HxW (mm):	1586 x 420

Ref: ENLBP18010060PT/SP

Additional features

Door/window/lid type:	Single transparent
Reversible door:	Yes
Number of doors:	1
Body type:	Linkable
Lock type:	Lever handle + 5-mm double-bit insert
Plate:	No
Adjustable Plate:	No
Perforated Plate:	No
No. of hinges:	4
No. of locks:	1x4P
Lock - Key Type:	5 mm double-bit Zamak key included

Materials

Door/Lid/Window Material:	Tempered glass
Lock material:	Zamak insert and handle in blue polyamide RAL 5013 and anthracite grey RAL 7016
Mounting frame material:	Zinc-plated steel
Gasket material:	Polyurethane
Color:	Grey RAL 7035
Finish:	Primed and painted with embossed polyester paint
Door thickness (mm):	4
Side panel thickness (mm):	1.5
Cable entry cover thickness (mm):	1.2

Ref: ENLBP18010060PT/SP

Maximum loads

Maximum total load (kg):	100

Electrical properties

Maximum voltage (V):	1000 AC / 1500 DC
Rated current (A):	Up to 6200 (depending on type of accessory)
Power dissipation:	

Power dissipation P(W) as a function of temperature increase ΔT (°C)				
20	25	30	35	40
583.4	729.3	875.2	1021.0	1166.9

Data calculated according to IEC TR 60890 using the method for verifying temperature rise in low-voltage switchgear and controlgear assemblies.

Certificates and regulations

Directive:	2014/35/EU
Standards:	UNE-EN 62208,UNE-EN 61439-1

Packaging

Supply:	Supplied on a pallet, protected with honeycomb cardboard corner protectors and shrink wrap
Individual Packaging Type:	Pallet
UoM Packaging - Individual:	Unit
Minimum Selling Quantity:	1
Individual packaging dimensions - HxWxD (m):	1.975 x 1.05 x 0.75
Net weight per unit (kg):	167.151
Gross weight per unit (kg):	183.867

Codes

GTIN-13 code:	8431044202075
Tariff code:	85381000
ETIM code 9.0:	EC000261

Downloads (links)

Product drawing (PDF):	https://ideelectric.com/docs/plans/pdf/ENLBP18010060PTSP.pdf

Ref: ENLBP18010060PT/SP

Assembly instructions:	https://assemblysteps.org/qr/91085
Videos:	ARGENTA PLUS PO ENL (ESP-ING)