**Ref: GPE8PT/PH/RR**

# Serie Gold-P flush-fit

## IP40 Flush-fit plastic boxes

IP40 flush-fit hollow wall distrib. box 1x8 mod. Transp. door PE+N



## Features

| | |
|---|---|
| **Application:** | Tertiary (residential) |
| **Suitable for outdoor installation:** | No |
| **Type of installation:** | Recessed hollow walls |

## Modular capacity

| | |
|---|---|
| **Capacity/Number of modules:** | 08 |
| **Number of rows:** | 1x8 |

## Technical data

| | |
|---|---|
| **Protection degree:** | IP40 |
| **Resistance to impact:** | IK08 |
| **Glow wire resistance (ºC):** | 850 |
| **Double insulation:** | Class II |

## Dimensions

| | |
|---|---|
| **Piece dimensions - HxWxD (mm):** | 230.6 x 240 x 97.4 |

## Additional features

| | |
|---|---|
| **Door/window/lid type:** | Transparent |
| **Reversible door:** | Yes |
| **UV protection:** | No |
| **Number of doors:** | 1 |
| **Lock type:** | Snap closure |
| **No. of locks:** | 1 |

## Ref: GPE8PT/PH/RR

| | |
|---|---|
| **Lock - Key Type:** | Without key. Possibility of lock with key as accessory (ref. 22015) |
| **Sealable:** | No |
| **Linkable:** | Yes |
| **Neutral and earth bars:** | Yes |
| **Includes DIN Rail:** | Yes |
| **Plate:** | No |
| **Adjustable Plate:** | No |
| **Perforated Plate:** | No |

## Materials

| | |
|---|---|
| **Halogen-free materials:** | Yes |
| **Body/Base Material:** | ABS |
| **Frame material:** | ABS |
| **Door/Lid/Window Material:** | Polycarbonate (PC) |
| **Chassis cover material:** | ABS |
| **Lock material:** | ABS |
| **Base color:** | Grey RAL 7035 |
| **Frame color:** | White RAL 9003 |
| **Door color:** | Smoked |

## Ref: GPE8PT/PH/RR

### Electrical properties

| | |
|---|---|
| **Maximum voltage (V):** | 1000 AC / 1500 DC |
| **Maximum permissible current (A):** | 125 |

### Packaging

| | |
|---|---|
| **Supply:** | Supplied in individual packaging<br>When several items are sent together, they are bundled together with transparent film<br>Supplied with all the elements assembled, except for the elements supplied in the accessory bag<br>**Accessories bag:**<br>Screws for frame-base closure<br>Hollow wall assembly kit (Only in GPE/PH type boxes)<br>Door hinges<br>Cover for white modules (6 modules)<br>Level<br>Module identification strips |
| **Individual Packaging Type:** | Box |
| **UoM Packaging - Individual:** | Unit |
| **Minimum Selling Quantity:** | 5 |
| **Individual packaging dimensions - HxWxD (m):** | 0.241 x 0.245 x 0.108 |
| **Net weight per unit (kg):** | 0.512 |
| **Gross weight per unit (kg):** | 0.563 |

### Codes

| | |
|---|---|
| **GTIN-13 code:** | 8431044603681 |
| **Tariff code:** | 85381000 |
| **ETIM code 9.0:** | EC000214 |

### Downloads (links)

| | |
|---|---|
| **Assembly instructions:** | https://assemblysteps.org/qr/91213 |