**Ref: GPS4PT/RR**

# Serie Gold-P surface

## IP40 Surface plastic boxes

IP40 surface distribution box 1x4 modules. Transparent door PE+N



## Features

| | |
|---|---|
| **Application:** | Tertiary (residential) |
| **Suitable for outdoor installation:** | No |
| **Type of installation:** | Surface |
| **Material Quality:** | ABS |

## Modular capacity

| | |
|---|---|
| **Capacity/Number of modules:** | 04 |
| **Number of rows:** | 1x4 |

## Technical data

| | |
|---|---|
| **Protection degree:** | IP40 |
| **Resistance to impact:** | IK08 |
| **Glow wire resistance (ºC):** | 650 |
| **Double insulation:** | Class I |

## Dimensions

| | |
|---|---|
| **Piece dimensions - HxWxD (mm):** | 202.6 x 140 x 97.6 |

## Additional features

| | |
|---|---|
| **Door/window/lid type:** | Transparent |
| **Reversible door:** | Yes |
| **UV protection:** | No |
| **Number of doors:** | 1 |
| **Lock type:** | Snap closure |

## Ref: GPS4PT/RR

| | |
|---|---|
| **No. of locks:** | 1 |
| **Lock - Key Type:** | Without key. Possibility of lock with key as accessory (ref. 22015) |
| **Sealable:** | No |
| **Linkable:** | No |
| **Neutral and earth bars:** | Yes |
| **Includes DIN Rail:** | Yes |
| **Plate:** | No |
| **Adjustable Plate:** | No |
| **Perforated Plate:** | No |

## Materials

| | |
|---|---|
| **Halogen-free materials:** | Yes |
| **Body/Base Material:** | ABS |
| **Door/Lid/Window Material:** | Polycarbonate (PC) |
| **Chassis cover material:** | ABS |
| **Lock material:** | ABS |
| **Base color:** | White RAL 9003 |
| **Door color:** | Smoked |

## Ref: GPS4PT/RR

### Electrical properties

| | |
|---|---|
| **Maximum voltage (V):** | 1000 AC / 1500 DC |
| **Maximum permissible current (A):** | 125 |

### Packaging

| | |
|---|---|
| **Supply:** | Supplied in individual packaging<br>When several items are sent together, they are bundled together with transparent film<br>Supplied with all the elements assembled, except for the elements supplied in the accessory bag<br>**Accessory bag:**<br>Screws for frame-base closure<br>Door hinges<br>Cover for white modules (6 modules)<br>Hermetic caps<br>Level<br>Module identification strips |
| **Individual Packaging Type:** | Box |
| **UoM Packaging - Individual:** | Unit |
| **Minimum Selling Quantity:** | 5 |
| **Individual packaging dimensions - HxWxD (m):** | 0.213 x 0.146 x 0.108 |
| **Net weight per unit (kg):** | 0.562 |
| **Gross weight per unit (kg):** | 0.618 |

### Codes

| | |
|---|---|
| **GTIN-13 code:** | 8431044602424 |
| **Tariff code:** | 85381000 |
| **ETIM code 9.0:** | EC000214 |

### Downloads (links)

| | |
|---|---|
| **Assembly instructions:** | https://assemblysteps.org/qr/91214 |