**Ref: V8PB2/67**

# Serie Pryma Complet

## IP67 Boxes with power sockets

IP67 box with power sockets 1x9 mod. (178P). Without protections



## Features

| | |
|---|---|
| **Application:** | Industrial (watertight and distribution enclosures),Construction |
| **Suitable for outdoor installation:** | Yes |
| **Type of installation:** | Surface |
| **Material Quality:** | ABS |

## Modular capacity

| | |
|---|---|
| **Box mounting:** | 178P |
| **Capacity/Number of modules:** | 09 |
| **Number of rows:** | 1x9 |

**Components:**

| Nº | Description | IP | Poles | Current (A) | Voltage (V) |
|---|---|---|---|---|---|
| 1 | Sloping flush-fit socket | 67 | 3P+E | 32 | 400 |
| 1 | Schuko-type socket | 67 | 2P+E | 16 | 230 |

## Technical data

| | |
|---|---|
| **Protection degree:** | IP67 |
| **Resistance to impact:** | IK08 |
| **Glow wire resistance (ºC):** | 650 |
| **Glow-wire resistance of enclosure (°C):** | 650 |
| **Ball pressure test on enclosure (°C):** | 70 |
| **Ball pressure in sockets (ºC):** | 125 |
| **Double insulation:** | Class II |

## Dimensions

| | |
|---|---|
| **Piece dimensions - HxWxD (mm):** | 284 x 222 x 185 |

## Ref: V8PB2/67

### Additional features

| | |
|---|---|
| **Emergency mushroom push button:** | No |
| **Door/window/lid type:** | Transparent |
| **Door/lid/window fastening:** | Screw-on |
| **Reversible door:** | No |
| **UV protection:** | Yes |
| **Lock type:** | With screws |
| **Sealable:** | Yes |
| **Linkable:** | No |
| **Includes DIN Rail:** | Yes |

### Materials

| | |
|---|---|
| **Halogen-free materials:** | Yes |
| **Body/Base Material:** | ABS |
| **Frame material:** | ABS |
| **Door/Lid/Window Material:** | Polycarbonate (PC) |
| **Color:** | Grey RAL 7035 |
| **Door color:** | Smoked |

### Electrical properties

| | |
|---|---|
| **Maximum voltage (V):** | 1000 AC / 1500 DC |

# Ref: V8PB2/67

## Certificates and regulations

| | |
|---|---|
| **Directive:** | 2014/35/EU |
| **Standards:** | UNE-EN 62208,UNE-EN 61439-1 |

## Packaging

| | |
|---|---|
| **Supply:** | Supplied fully assembled according to the specifications of each reference, protected with shrink wrap and packed in multiple cardboard packaging according to the number of units ordered<br>With certificate of conformity, description, number of socket outlets and protection devices, and the corresponding single-line diagram |
| **Individual Packaging Type:** | Box |
| **UoM Packaging - Individual:** | Unit |
| **Minimum Selling Quantity:** | 1 |
| **Individual packaging dimensions - HxWxD (m):** | 0.305 x 0.24 x 0.215 |
| **Net weight per unit (kg):** | 1.743 |
| **Gross weight per unit (kg):** | 1.917 |

## Codes

| | |
|---|---|
| **GTIN-13 code:** | 8431044235127 |
| **Tariff code:** | 85371098 |
| **ETIM code 9.0:** | EC000379 |

## Downloads (links)

| | |
|---|---|
| **Assembly instructions:** | https://assemblysteps.org/qr/ |